



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

MI-22T2/DHN1-EA5, MI-28T2/DHN1-EA5, MI-36T2/DHN1-EA5,
 MI-45T2/DHN1-EA5, MI-56T2/DHN1-EA5, MI-71T2/DHN1-EA5,
 MI-90T2/DHN1-EA5, MI-112T2/DHN1-EA5, MI-140T2/DHN1-EA5,
 MI2-22T2DN1, MI2-28T2DN1, MI2-36T2DN1,
 MI2-45T2DN1, MI2-56T2DN1, MI2-71T2DN1,
 MI2-80T2DN1, MI2-90T2DN1, MI2-112T2DN1,
 MI2-140T2DN1, MI2-18Q1DN1, MI2-22Q1DN1,
 MI2-28Q1DN1, MI2-36Q1DN1, MI2-45Q1DN1,
 MI2-56Q1DN1, MI2-71Q1DN1, MI2-22Q2DN1,
 MI2-28Q2DN1, MI2-36Q2DN1, MI2-45Q2DN1,
 MI2-56Q2DN1, MI2-71Q2DN1, MI2-28Q4DN1,
 MI2-36Q4DN1, MI2-45Q4DN1, MI2-56Q4DN1,
 MI2-71Q4DN1, MI2-80Q4DN1, MI2-90Q4DN1,
 MI2-100Q4DN1, MI2-112Q4DN1, MI2-140Q4DN1,
 MI2-22Q4CDN1, MI2-28Q4CDN1, MI2-36Q4CDN1,
 MI2-45Q4CDN1, MI2-36DLN1, MI2-45DLN1,
 MI2-56DLN1, MI2-71DLN1, MI2-80DLN1,
 MI2-90DLN1, MI2-112DLN1, MI2-140DLN1,
 MI2-22F3DN1, MI2-28F3DN1, MI2-36F3DN1,
 MI2-45F3DN1, MI2-56F3DN1, MI2-71F3DN1,
 MI2-80F3DN1, MI2-22F4DN1, MI2-28F4DN1,
 MI2-36F4DN1, MI2-45F4DN1, MI2-56F4DN1,
 MI2-71F4DN1, MI2-80F4DN1, MI2-22F5DN1,
 MI2-28F5DN1, MI2-36F5DN1, MI2-45F5DN1,
 MI2-56F5DN1, MI2-71F5DN1, MI2-80F5DN1,
 MI2-71T1DN1, MI2-80T1DN1, MI2-90T1DN1,
 MI2-112T1DN1, MI2-140T1DN1, MI2-160T1DN1,
 MI2-200T1DN1, MI2-250T1DN1, MI2-280T1DN1,
 MI2-125FADN1, MI2-140FADN1, MI2-200FADN1,
 MI2-250FADN1, MI2-280FADN1, MI2-560T1DN1,
 MI2-560FADN1, MI2-22GDN1, MI2-28GDN1,
 MI2-36GDN1, MI2-45GDN1, MI2-56GDN1,
 MI2-71GDN1, MI2-80GDN1, MI2-90GDN1,
 MI2-22ZDN1, MI2-28ZDN1, MI2-36ZDN1,
 MI2-45ZDN1, SMK-D140/MN1

Trade name:

Midea, MDV

Parameters:

Rated Voltage: 220-240V~
 Rated Frequency: 50Hz
 Rated current/power: See below table
 Protection Class: Class I

Table 1: Indoor unit

Series	Model	Rated Voltage (V)	Rated current (A)
A1	MDV-D36DL/N1-C	220-240	0,23
A2	MDV-D45DL/N1-C	220-240	0,67
A3	MDV-D56DL/N1-C	220-240	0,67
A4	MDV-D71DL/N1-C	220-240	0,67
A5	MDV-D80DL/N1-C	220-240	0,83
A6	MDV-D90DL/N1-C	220-240	0,83
A7	MDV-D112DL/N1-C	220-240	1,11
A8	MDV-D140DL/N1-C	220-240	1,11
A9	MDVC-D36DL/N1-C	220-240	0,23

Page 5 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

A10	MDVC-D45DL/N1-C	220-240	0,67
A11	MDVC-D56DL/N1-C	220-240	0,67
A12	MDVC-D71DL/N1-C	220-240	0,67
A13	MDVC-D80DL/N1-C	220-240	0,83
A14	MDVC-D90DL/N1-C	220-240	0,83
A15	MDVC-D112DL/N1-C	220-240	1,11
A16	MDVC-D140DL/N1-C	220-240	1,11
A17	MI-36DL/DHN1-C	220-240	0,32
A18	MI-45DL/DHN1-C	220-240	0,89
A19	MI-56DL/DHN1-C	220-240	0,89
A20	MI-71DL/DHN1-C	220-240	0,89
A21	MI-80DL/DHN1-C	220-240	1,14
A22	MI-90DL/DHN1-C	220-240	1,14
A23	MI-112DL/DHN1-C	220-240	1,25
A24	MI-140DL/DHN1-C	220-240	1,25
B1	MDV-D22G/DN1-S	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
B2	MDV-D28G/DN1-S	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
B3	MDV-D36G/DN1-S	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
B4	MDV-D45G/DN1-S	220-240	Cooling: 0,2; Heating: 0,2+4,05(heater)
B5	MDV-D56G/DN1-S	220-240	Cooling: 0,2; Heating: 0,2+4,05(heater)
B6	MDV-D22G/N1-S	220-240	0,14
B7	MDV-D28G/N1-S	220-240	0,14
B8	MDV-D36G/N1-S	220-240	0,14
B9	MDV-D45G/N1-S	220-240	0,2
B10	MDV-D56G/N1-S	220-240	0,2
B11	MDVC-D22G/DN1-S	220-240	0,14
B12	MDVC-D28G/DN1-S	220-240	0,14
B13	MDVC-D36G/DN1-S	220-240	0,14
B14	MDVC-D45G/DN1-S	220-240	0,2
B15	MDVC-D56G/DN1-S	220-240	0,2
B16	MDVC-D22G/N1-S	220-240	0,14
B17	MDVC-D28G/N1-S	220-240	0,14
B18	MDVC-D36G/N1-S	220-240	0,14
B19	MDVC-D45G/N1-S	220-240	0,2
B20	MDVC-D56G/N1-S	220-240	0,2
B21	MDV-D71G-R3/N1Y	220-240	0,33
B22	MDV-D80G-R3/N1Y	220-240	0,39
B23	MDV-D90G-R3/N1Y	220-240	0,39
B24	MDVC-D71G-R3/N1Y	220-240	0,33
B25	MDVC-D80G-R3/N1Y	220-240	0,39
B26	MDVC-D90G-R3/N1Y	220-240	0,39
B27	MDV-D15G/N1-S	220-240	0,12
B28	MDV-D17G/N1-S	220-240	0,12
B29	MDVC-D15G/N1-S	220-240	0,12
B30	MDVC-D17G/N1-S	220-240	0,12

Page 6 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

C14	MDV-D36Q1/N1-D	220-240	0,25
C15	MDVC-D18Q1/N1-D	220-240	0,24
C16	MDVC-D22Q1/N1-D	220-240	0,24
C17	MDVC-D28Q1/N1-D	220-240	0,25
C18	MDVC-D36Q1/N1-D	220-240	0,25
C19	MDV-D45Q1/N1-D	220-240	0,27
C20	MDV-D56Q1/N1-D	220-240	0,32
C21	MDV-D71Q1/N1-D	220-240	0,36
D1	MDV-D22Q2/N1	220-240	0,4
D2	MDV-D28Q2/N1	220-240	0,4
D3	MDV-D36Q2/N1	220-240	0,4
D4	MDV-D45Q2/N1	220-240	0,5
D5	MDV-D56Q2/N1	220-240	0,65
D6	MDV-D71Q2/N1	220-240	0,85
D7	MDVC-D22Q2/N1	220-240	0,4
D8	MDVC-D28Q2/N1	220-240	0,4
D9	MDVC-D36Q2/N1	220-240	0,4
D10	MDVC-D45Q2/N1	220-240	0,5
D11	MDVC-D56Q2/N1	220-240	0,65
D12	MDVC-D71Q2/N1	220-240	0,85
E1	MDV-D22Q4/N1-A3	220-240	0,22
E2	MDV-D28Q4/N1-A3	220-240	0,22
E3	MDV-D36Q4/N1-A3	220-240	0,25
E4	MDV-D45Q4/N1-A3	220-240	0,25
E5	MDVC-D22Q4/N1-A3	220-240	0,22
E6	MDVC-D28Q4/N1-A3	220-240	0,22
E7	MDVC-D36Q4/N1-A3	220-240	0,25
E8	MDVC-D45Q4/N1-A3	220-240	0,25
E9	MDV-D15Q4/N1-A3	220-240	0,22
E10	MDV-D17Q4/N1-A3	220-240	0,22
E11	MDVC-D15Q4/N1-A3	220-240	0,22
E12	MDVC-D17Q4/N1-A3	220-240	0,22
E13	MI-15Q4/DHN1-A3	220-240	0,23
E14	MI-22Q4/DHN1-A3	220-240	0,26
E15	MI-28Q4/DHN1-A3	220-240	0,26
E16	MI-36Q4/DHN1-A3	220-240	0,28
E17	MI-45Q4/DHN1-A3	220-240	0,28
F1	MDV-D125T1/N1-FA	220-240	2,4
F2	MDV-D140T1/N1-FA	220-240	2,4
F3	MDV-D200T1/N1-FA	220-240	5,3
F4	MDV-D250T1/N1-FA	220-240	5,6
F5	MDV-D280T1/N1-FA	220-240	5,6
F6	MDVC-D125T1/N1-FA	220-240	2,4
F7	MDVC-D140T1/N1-FA	220-240	2,4
F8	MDVC-D200T1/N1-FA	220-240	5,3
F9	MDVC-D250T1/N1-FA	220-240	5,6
F10	MDVC-D280T1/N1-FA	220-240	5,6
G1	MDV-D22T2/N1-BA5	220-240	0,28

Page 8 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

G2	MDV-D28T2/N1-BA5	220-240	0,28
G3	MDV-D36T2/N1-BA5	220-240	0,28
G4	MDV-D45T2/N1-BA5	220-240	0,5
G5	MDV-D56T2/N1-BA5	220-240	0,5
G6	MDV-D71T2/N1-BA5	220-240	0,7
G7	MDV-D80T2/N1-BA5	220-240	1
G8	MDV-D90T2/N1-BA5	220-240	1
G9	MDV-D112T2/N1-BA5	220-240	1,8
G10	MDV-D140T2/N1-BA5	220-240	1,55
G11	MDVC-D22T2/N1-BA5	220-240	0,28
G12	MDVC-D28T2/N1-BA5	220-240	0,28
G13	MDVC-D36T2/N1-BA5	220-240	0,28
G14	MDVC-D45T2/N1-BA5	220-240	0,5
G15	MDVC-D56T2/N1-BA5	220-240	0,5
G16	MDVC-D71T2/N1-BA5	220-240	0,7
G17	MDVC-D80T2/N1-BA5	220-240	1
G18	MDVC-D90T2/N1-BA5	220-240	1
G19	MDVC-D112T2/N1-BA5	220-240	1,8
G20	MDVC-D140T2/N1-BA5	220-240	1,55
G21	MDV-D71T2/N1-CA5	220-240	0,7
G22	MDVC-D71T2/N1-CA5	220-240	0,7
G23	MDV-D15T2/N1-DA5	220-240	0,31
G24	MDV-D17T2/N1-DA5	220-240	0,31
G25	MDV-D22T2/N1-DA5	220-240	0,31
G26	MDV-D28T2/N1-DA5	220-240	0,31
G27	MDV-D36T2/N1-DA5	220-240	0,33
G28	MDVC-D15T2/N1-DA5	220-240	0,31
G29	MDVC-D17T2/N1-DA5	220-240	0,31
G30	MDVC-D22T2/N1-DA5	220-240	0,31
G31	MDVC-D28T2/N1-DA5	220-240	0,31
G32	MDVC-D36T2/N1-DA5	220-240	0,33
G33	MDV-D45T2/N1-DA5	220-240	0,36
G34	MDV-D56T2/N1-DA5	220-240	0,36
G35	MDV-D71T2/N1-DA5	220-240	0,47
G36	MDVC-D45T2/N1-DA5	220-240	0,36
G37	MDVC-D56T2/N1-DA5	220-240	0,36
G38	MDVC-D71T2/N1-DA5	220-240	0,47
G39	MI-15T2/DHN1-DA5	220-240	0,5
G40	MI-22T2/DHN1-DA5	220-240	0,5
G41	MI-28T2/DHN1-DA5	220-240	0,5
G42	MI-36T2/DHN1-DA5	220-240	0,5
G43	MI-45T2/DHN1-DA5	220-240	0,7
G44	MI-56T2/DHN1-DA5	220-240	0,7
G45	MI-71T2/DHN1-DA5	220-240	0,8
G46	MI-80T2/DHN1-BA5	220-240	1,1
G47	MI-90T2/DHN1-BA5	220-240	1,2
G48	MI-112T2/DHN1-BA5	220-240	2,1
G49	MI-140T2/DHN1-BA5	220-240	2,0
G50	MI-15T2/DHN1-DA5-AU	220-240	0,5

Page 9 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

G51	MI-18T2/DHN1-DA5-AU	220-240	0,5
G52	MI-18T2/DHN1-DA5	220-240	0,5
G53	MI-22T2/DHN1-DA5	220-240	0,5
H1	MDV-D18T3/N1-B	220-240	0,18
H2	MDV-D22T3/N1-B	220-240	0,18
H3	MDV-D28T3/N1-B	220-240	0,18
H4	MDV-D36T3/N1-B	220-240	0,18
H5	MDV-D45T3/N1-B	220-240	0,25
H6	MDV-D56T3/N1-B	220-240	0,25
H7	MDVC-D18T3/N1-B	220-240	0,18
H8	MDVC-D22T3/N1-B	220-240	0,18
H9	MDVC-D28T3/N1-B	220-240	0,18
H10	MDVC-D36T3/N1-B	220-240	0,18
H11	MDVC-D45T3/N1-B	220-240	0,25
H12	MDVC-D56T3/N1-B	220-240	0,25
H13	MDV-D18T3/N1-C	220-240	0,31
H14	MDV-D22T3/N1-C	220-240	0,31
H15	MDV-D28T3/N1-C	220-240	0,31
H16	MDV-D36T3/N1-C	220-240	0,33
H17	MDV-D45T3/N1-C	220-240	0,36
H18	MDV-D56T3/N1-C	220-240	0,36
H19	MDV-D71T3/N1-C	220-240	0,5
H20	MDVC-D18T3/N1-C	220-240	0,31
H21	MDVC-D22T3/N1-C	220-240	0,31
H22	MDVC-D28T3/N1-C	220-240	0,31
H23	MDVC-D36T3/N1-C	220-240	0,33
H24	MDVC-D45T3/N1-C	220-240	0,36
H25	MDVC-D56T3/N1-C	220-240	0,36
H26	MDVC-D71T3/N1-C	220-240	0,5
H27	MI-18T3/DHN1-C	220-240	0,5
H28	MI-22T3/DHN1-C	220-240	0,5
H29	MI-28T3/DHN1-C	220-240	0,5
H30	MI-36T3/DHN1-C	220-240	0,5
H31	MI-45T3/DHN1-C	220-240	0,8
H32	MI-56T3/DHN1-C	220-240	0,8
H33	MI-71T3/DHN1-C	220-240	0,8
I1	MDV-D22Z/DN1-B	220-240	0,09
I2	MDV-D28Z/DN1-B	220-240	0,11
I3	MDV-D36Z/DN1-B	220-240	0,15
I4	MDV-D45Z/DN1-B	220-240	0,2
I5	MDVC-D22Z/DN1-B	220-240	0,09
I6	MDVC-D28Z/DN1-B	220-240	0,11
I7	MDVC-D36Z/DN1-B	220-240	0,15
I8	MDVC-D45Z/DN1-B	220-240	0,2
J1	MDV-D22Z/N1-F1B	220-240	0,18
J2	MDV-D22Z/N1-F2B	220-240	0,18
J3	MDV-D22Z/N1-F3B	220-240	0,18
J4	MDV-D28Z/N1-F1B	220-240	0,21
J5	MDV-D28Z/N1-F2B	220-240	0,21

Page 10 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

K13	MDV-D80Z/N1-F4	220-240	0,63
K14	MDV-D80Z/N1-F5	220-240	0,63
K15	MDVC-D22Z/N1-F4	220-240	0,18
K16	MDVC-D22Z/N1-F5	220-240	0,18
K17	MDVC-D28Z/N1-F4	220-240	0,19
K18	MDVC-D28Z/N1-F5	220-240	0,19
K19	MDVC-D36Z/N1-F4	220-240	0,22
K20	MDVC-D36Z/N1-F5	220-240	0,22
K21	MDVC-D45Z/N1-F4	220-240	0,22
K22	MDVC-D45Z/N1-F5	220-240	0,22
K23	MDVC-D56Z/N1-F4	220-240	0,43
K24	MDVC-D56Z/N1-F5	220-240	0,43
K25	MDVC-D71Z/N1-F4	220-240	0,63
K26	MDVC-D71Z/N1-F5	220-240	0,63
K27	MDVC-D80Z/N1-F4	220-240	0,63
K28	MDVC-D80Z/N1-F5	220-240	0,63
K29	MI-22Z/DHN1-F4	220-240	0,29
K30	MI-28Z/DHN1-F4	220-240	0,32
K31	MI-36Z/DHN1-F4	220-240	0,33
K32	MI-45Z/DHN1-F4	220-240	0,35
K33	MI-56Z/DHN1-F4	220-240	0,55
K34	MI-71Z/DHN1-F4	220-240	0,81
K35	MI-80Z/DHN1-F4	220-240	0,82
K36	MI-22Z/DHN1-F5	220-240	0,29
K37	MI-28Z/DHN1-F5	220-240	0,32
K38	MI-36Z/DHN1-F5	220-240	0,33
K39	MI-45Z/DHN1-F5	220-240	0,35
K40	MI-56Z/DHN1-F5	220-240	0,55
K41	MI-71Z/DHN1-F5	220-240	0,81
K42	MI-80Z/DHN1-F5	220-240	0,82
K43	MI-22Z/DHN1-F3B	220-240	0,29
K44	MI-28Z/DHN1-F3B	220-240	0,32
K45	MI-36Z/DHN1-F3B	220-240	0,33
K46	MI-45Z/DHN1-F3B	220-240	0,35
K47	MI-56Z/DHN1-F3B	220-240	0,55
K48	MI-71Z/DHN1-F3B	220-240	0,81
K49	MI-80Z/DHN1-F3B	220-240	0,82
L1	MDV-D71T1/N1-B	220-240	1,23
L2	MDV-D80T1/N1-B	220-240	1,23
L3	MDV-D90T1/N1-B	220-240	1,87
L4	MDV-D112T1/N1-B	220-240	2,3
L5	MDV-D140T1/N1-B	220-240	2,85
L6	MDV-D160T1/N1-B	220-240	4,77
L7	MDV-D200T1/N1-B	220-240	8,6
L8	MDV-D250T1/N1-B	220-240	8,6
L9	MDV-D280T1/N1-B	220-240	8,6
L10	MDVC-D71T1/N1-B	220-240	1,23
L11	MDVC-D80T1/N1-B	220-240	1,23
L12	MDVC-D90T1/N1-B	220-240	1,87

Page 12 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD
 ZERTIFIKAT ♦ CERTIFICATE ♦ 認 證 證 書 ♦ СЕРТИФИКАТ ♦ CERTIFICADO ♦ CERTIFICAT



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

L13	MDVC-D112T1/N1-B	220-240	2,3
L14	MDVC-D140T1/N1-B	220-240	2,85
L15	MDVC-D160T1/N1-B	220-240	4,77
L16	MDVC-D200T1/N1-B	220-240	8,6
L17	MDVC-D250T1/N1-B	220-240	8,6
L18	MDVC-D280T1/N1-B	220-240	8,6
L19	MDV-D400T1/N1	220-240	12,5
L20	MDV-D450T1/N1	220-240	12,5
L21	MDV-D560T1/N1	220-240	15,5
L22	MDVC-D400T1/N1	220-240	12,5
L23	MDVC-D450T1/N1	220-240	12,5
L24	MDVC-D560T1/N1	220-240	15,5
M1	MDV-D28Q4/N1-D	220-240	0,41
M2	MDV-D36Q4/N1-D	220-240	0,41
M3	MDV-D45Q4/N1-D	220-240	0,41
M4	MDV-D56Q4/N1-D	220-240	0,41
M5	MDV-D71Q4/N1-D	220-240	0,52
M6	MDV-D80Q4/N1-D	220-240	0,52
M7	MDV-D90Q4/N1-D	220-240	0,73
M8	MDV-D100Q4/N1-D	220-240	0,73
M9	MDV-D112Q4/N1-D	220-240	0,73
M10	MDV-D140Q4/N1-D	220-240	0,82
M11	MDVC-D28Q4/N1-D	220-240	0,41
M12	MDVC-D36Q4/N1-D	220-240	0,41
M13	MDVC-D45Q4/N1-D	220-240	0,41
M14	MDVC-D56Q4/N1-D	220-240	0,41
M15	MDVC-D71Q4/N1-D	220-240	0,52
M16	MDVC-D80Q4/N1-D	220-240	0,52
M17	MDVC-D90Q4/N1-D	220-240	0,73
M18	MDVC-D100Q4/N1-D	220-240	0,73
M19	MDVC-D112Q4/N1-D	220-240	0,73
M20	MDVC-D140Q4/N1-D	220-240	0,82
M21	MDV-D28Q4/N1-E	220-240	0,31
M22	MDV-D36Q4/N1-E	220-240	0,31
M23	MDV-D45Q4/N1-E	220-240	0,41
M24	MDV-D56Q4/N1-E	220-240	0,41
M25	MDV-D71Q4/N1-E	220-240	0,41
M26	MDV-D80Q4/N1-E	220-240	0,48
M27	MDV-D90Q4/N1-E	220-240	0,67
M28	MDV-D100Q4/N1-E	220-240	0,72
M29	MDV-D112Q4/N1-E	220-240	0,72
M30	MDV-D140Q4/N1-E	220-240	0,75
M31	MDVC-D28Q4/N1-E	220-240	0,31
M32	MDVC-D36Q4/N1-E	220-240	0,31
M33	MDVC-D45Q4/N1-E	220-240	0,41
M34	MDVC-D56Q4/N1-E	220-240	0,41
M35	MDVC-D71Q4/N1-E	220-240	0,41
M36	MDVC-D80Q4/N1-E	220-240	0,48
M37	MDVC-D90Q4/N1-E	220-240	0,67

Page 13 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

M38	MDVC-D100Q4/N1-E	220-240	0,72
M39	MDVC-D112Q4/N1-E	220-240	0,72
M40	MDVC-D140Q4/N1-E	220-240	0,75
M41	MI-28Q4/DHN1-D	220-240	0,32
M42	MI-36Q4/DHN1-D	220-240	0,32
M43	MI-45Q4/DHN1-D	220-240	0,34
M44	MI-56Q4/DHN1-D	220-240	0,34
M45	MI-71Q4/DHN1-D	220-240	0,36
M46	MI-80Q4/DHN1-D	220-240	0,37
M47	MI-90Q4/DHN1-D	220-240	0,82
M48	MI-100Q4/DHN1-D	220-240	0,82
M49	MI-112Q4/DHN1-D	220-240	0,82
M50	MI-140Q4/DHN1-D	220-240	0,98
M51	MIC-28Q4/DHN1-D	220-240	0,32
M52	MIC-36Q4/DHN1-D	220-240	0,32
M53	MIC-45Q4/DHN1-D	220-240	0,34
M54	MIC-56Q4/DHN1-D	220-240	0,34
M55	MIC-71Q4/DHN1-D	220-240	0,36
M56	MIC-80Q4/DHN1-D	220-240	0,37
M57	MIC-90Q4/DHN1-D	220-240	0,82
M58	MIC-100Q4/DHN1-D	220-240	0,82
M59	MIC-112Q4/DHN1-D	220-240	0,82
M60	MIC-140Q4/DHN1-D	220-240	0,98
N1	MDV-D22G/DN1YB	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
N2	MDV-D28G/DN1YB	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
N3	MDV-D36G/DN1YB	220-240	Cooling: 0,14; Heating: 0,14+3,38(heater)
N4	MDV-D45G/DN1YB	220-240	Cooling: 0,2; Heating: 0,2+4,05(heater)
N5	MDV-D56G/DN1YB	220-240	Cooling: 0,2; Heating: 0,2+4,05(heater)
N6	MDV-D22G/N1YB	220-240	0,14
N7	MDV-D28G/N1YB	220-240	0,14
N8	MDV-D36G/N1YB	220-240	0,14
N9	MDV-D45G/N1YB	220-240	0,2
N10	MDV-D56G/N1YB	220-240	0,2
N11	MDVC-D22G/DN1YB	220-240	0,14
N12	MDVC-D28G/DN1YB	220-240	0,14
N13	MDVC-D36G/DN1YB	220-240	0,14
N14	MDVC-D45G/DN1YB	220-240	0,2
N15	MDVC-D56G/DN1YB	220-240	0,2
N16	MDVC-D22G/N1YB	220-240	0,14
N17	MDVC-D28G/N1YB	220-240	0,14
N18	MDVC-D36G/N1YB	220-240	0,14
N19	MDVC-D45G/N1YB	220-240	0,2

Page 14 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

U4	MI-45G/DHN1-M	220-240	0,44
U5	MI-56G/DHN1-M	220-240	0,58
U6	MI-71G/DHN1-M	220-240	0,6
U7	MI-80G/DHN1-M	220-240	0,8
U8	MI-90G/DHN1-M	220-240	0,78
U9	MIC-22G/DHN1-M	220-240	0,27
U10	MIC-28G/DHN1-M	220-240	0,31
U11	MIC-36G/DHN1-M	220-240	0,43
U12	MIC-45G/DHN1-M	220-240	0,44
U13	MIC-56G/DHN1-M	220-240	0,58
U14	MIC-71G/DHN1-M	220-240	0,6
U15	MIC-80G/DHN1-M	220-240	0,6
U16	MIC-90G/DHN1-M	220-240	0,78
V1	MI-22T2/DHN1-EA5	220-240	1,0
V2	MI-28T2/DHN1-EA5	220-240	1,0
V3	MI-36T2/DHN1-EA5	220-240	1,0
V4	MI-45T2/DHN1-EA5	220-240	2,5
V5	MI-56T2/DHN1-EA5	220-240	2,5
V6	MI-71T2/DHN1-EA5	220-240	2,5
V7	MI-90T2/DHN1-EA5	220-240	2,5
V8	MI-112T2/DHN1-EA5	220-240	3,0
V9	MI-140T2/DHN1-EA5	220-240	3,0
X1	MI2-22T2DN1	220-240	0,74
X2	MI2-28T2DN1	220-240	0,74
X3	MI2-36T2DN1	220-240	0,77
X4	MI2-45T2DN1	220-240	1,0
X5	MI2-56T2DN1	220-240	1,0
X6	MI2-71T2DN1	220-240	1,1
X7	MI2-80T2DN1	220-240	1,3
X8	MI2-90T2DN1	220-240	1,3
X9	MI2-112T2DN1	220-240	1,5
X10	MI2-140T2DN1	220-240	2,6
Y1	MI2-18Q1DN1	220-240	0,38
Y2	MI2-22Q1DN1	220-240	0,38
Y3	MI2-28Q1DN1	220-240	0,39
Y4	MI2-36Q1DN1	220-240	0,39
Y5	MI2-45Q1DN1	220-240	0,53
Y6	MI2-56Q1DN1	220-240	0,57
Y7	MI2-71Q1DN1	220-240	0,59
Z1	MI2-22Q2DN1	220-240	0,47
Z2	MI2-28Q2DN1	220-240	0,47
Z3	MI2-36Q2DN1	220-240	0,52
Z4	MI2-45Q2DN1	220-240	0,59
Z5	MI2-56Q2DN1	220-240	0,9
Z6	MI2-71Q2DN1	220-240	1,3
AA1	MI2-28Q4DN1	220-240	0,41
AA2	MI2-36Q4DN1	220-240	0,41
AA3	MI2-45Q4DN1	220-240	0,56
AA4	MI2-56Q4DN1	220-240	0,56

Page 16 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

AA5	MI2-71Q4DN1	220-240	0,56
AA6	MI2-80Q4DN1	220-240	0,76
AA7	MI2-90Q4DN1	220-240	0,88
AA8	MI2-100Q4DN1	220-240	1,0
AA9	MI2-112Q4DN1	220-240	1,0
AA10	MI2-140Q4DN1	220-240	1,2
AB1	MI2-22Q4CDN1	220-240	0,43
AB2	MI2-28Q4CDN1	220-240	0,43
AB3	MI2-36Q4CDN1	220-240	0,48
AB4	MI2-45Q4CDN1	220-240	0,48
AC1	MI2-36DLDN1	220-240	0,45
AC2	MI2-45DLDN1	220-240	1,2
AC3	MI2-56DLDN1	220-240	1,2
AC4	MI2-71DLDN1	220-240	1,2
AC5	MI2-80DLDN1	220-240	1,3
AC6	MI2-90DLDN1	220-240	1,3
AC7	MI2-112DLDN1	220-240	1,7
AC8	MI2-140DLDN1	220-240	1,7
AD1	MI2-22F3DN1	220-240	0,49
AD2	MI2-28F3DN1	220-240	0,55
AD3	MI2-36F3DN1	220-240	0,55
AD4	MI2-45F3DN1	220-240	0,55
AD5	MI2-56F3DN1	220-240	0,85
AD6	MI2-71F3DN1	220-240	1,4
AD7	MI2-80F3DN1	220-240	1,4
AD8	MI2-22F4DN1	220-240	0,49
AD9	MI2-28F4DN1	220-240	0,55
AD10	MI2-36F4DN1	220-240	0,55
AD11	MI2-45F4DN1	220-240	0,55
AD12	MI2-56F4DN1	220-240	0,85
AD13	MI2-71F4DN1	220-240	1,4
AD14	MI2-80F4DN1	220-240	1,4
AD15	MI2-22F5DN1	220-240	0,49
AD16	MI2-28F5DN1	220-240	0,55
AD17	MI2-36F5DN1	220-240	0,55
AD18	MI2-45F5DN1	220-240	0,55
AD19	MI2-56F5DN1	220-240	0,85
AD20	MI2-71F5DN1	220-240	1,4
AD21	MI2-80F5DN1	220-240	1,4
AE1	MI2-71T1DN1	220-240	2,1
AE2	MI2-80T1DN1	220-240	2,1
AE3	MI2-90T1DN1	220-240	2,2
AE4	MI2-112T1DN1	220-240	2,9
AE5	MI2-140T1DN1	220-240	4,5
AE6	MI2-160T1DN1	220-240	4,7
AE7	MI2-200T1DN1	220-240	6,7
AE8	MI2-250T1DN1	220-240	6,7
AE9	MI2-280T1DN1	220-240	6,7
AE10	MI2-560T1DN1	220-240	15,4

Page 17 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 072433 0885 Rev. 00

AE11	MI2-125FADN1	220-240	3,5
AE12	MI2-140FADN1	220-240	3,5
AE13	MI2-200FADN1	220-240	5,2
AE14	MI2-250FADN1	220-240	5,2
AE15	MI2-280FADN1	220-240	5,2
AE16	MI2-560FADN1	220-240	14,5
AF1	MI2-22GDN1	220-240	0,32
AF2	MI2-28GDN1	220-240	0,32
AF3	MI2-36GDN1	220-240	0,45
AF4	MI2-45GDN1	220-240	0,47
AF5	MI2-56GDN1	220-240	0,58
AF6	MI2-71GDN1	220-240	0,90
AF7	MI2-80GDN1	220-240	0,90
AF8	MI2-90GDN1	220-240	1,1
AG1	MI2-22ZDN1	220-240	0,37
AG2	MI2-28ZDN1	220-240	0,40
AG3	MI2-36ZDN1	220-240	0,42
AG4	MI2-45ZDN1	220-240	0,53
AH1	MDV-D22T2/N1-DA5(A)	220-240	0,31
AH2	MDV-D28T2/N1-DA5(A)	220-240	0,31
AH3	MDV-D36T2/N1-DA5(A)	220-240	0,33
AH4	MDV-D45T2/N1-DA5(A)	220-240	0,36
AH5	MDV-D56T2/N1-DA5(A)	220-240	0,36
AH6	MDV-D71T2/N1-DA5(A)	220-240	0,47

Table 2

Series	Model	Rated Voltage (V)	Rated power (W)
W1	SMK-D140/MN1	220-240	10

Tested according to:

EN 61000-6-1:2007
EN 61000-6-3:2007/A1:2011

Page 18 of 18

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

ZERTIFIKAT • CERTIFICATE • 認證證書 • CERTIFICADO • CERTIFICAT

A4 / 07.17